



MICRO FASTENERS Pty Ltd

***SUPPLIERS OF MINIATURE
FASTENERS AND ASSOCIATED
PRODUCTS***



YOUR COMPLETE SOURCE

6 Mercedes Drive THOMASTOWN, 3074
VICTORIA. AUSTRALIA
Ph +61 3 9464 0330 Fax +61 3 9464 0313

www.microfasteners.com.au

email: info@microfasteners.com.au

Metric Machine Screws	Pg	3 - 6
Imperial Machine Screws	Pg	7 - 11
Metric Socket Screws & Hex Keys	Pg	12 - 13
Imperial Socket Screws & Hex keys	Pg	14 - 18
Self Tapping / Sheet Metal Screws	Pg	19 - 20
Washer & Nuts	Pg	21 - 22
Threaded Inserts & Rivets	Pg	22

While most fasteners listed in this catalogue are stock lines, in the event of an item not being in stock at the time of your enquiry, we are generally able to supply within 7-10 working days. All stainless steel fasteners listed are A2/302 grade Stainless Steel. Most popular sizes are also available in A4/316, However please check availability. A large range of specialty nylon fasteners are available. Please enquire as to availability of sizes.

Micro Fasteners Pty Ltd was established in 1989 supplying fasteners to industry Australia wide. Our reputation for a quality product and service has seen us grow to become a leading importer and supplier to manufacturers in all areas including lighting manufacture, construction, furniture, electronics, electrical and general manufacturing.

Carrying over 12000 different lines, and as authorised agents for leading brand specialty products, you can be assured we have just what you want. In addition to the comprehensive range in this catalogue, we also carry a full range of standard fasteners and have the ability to arrange manufacture of OEM parts to your drawing or specifications.

**Micro Fasteners Pty Ltd is an Australian owned
and family operated company**



METRIC MACHINE SCREWS											
M1.0 x		2	3	4	5	6	8	10	12		
Csk Slot	S/Steel	X	X	X	X	X	X	X			
Cheese Slot	S/Steel	X	X	X	X	X	X	X	X		

Head Dimensions:

	Width	Height
Csk:	1.90 - 1.76	
Cheese:	2.00 - 1.86	0.70 - 0.56

METRIC MACHINE SCREWS											
M1.2 x		2	3	4	5	6	8	10	12		
Csk Slot	S/Steel		X	X	X	X	X	X	X		
Cheese Slot	S/Steel	X	X	X	X	X	X	X	X		

Head Dimensions:

	Width	Height
Csk:	2.30 - 2.06	
Cheese:	2.30 - 2.16	0.80 - 0.66

METRIC MACHINE SCREWS											
M1.4 x		3	4	5	6	8	10	12			
Csk Slot	S/Steel		X	X	X	X	X	X			
Cheese Slot	S/Steel		X	X	X	X	X	X			

Head Dimensions:

	Width	Height
Csk:	2.60 - 2.46	
Cheese:	2.60 - 2.46	0.80 - 0.66

METRIC MACHINE SCREWS														
M1.6 x		3	4	5	6	8	10	12	14	16	18	20		
Pan Pozi	S/Steel	X	X	X	X	X	X	X	X	X	X	X		
Csk Pozi	S/Steel	X	X	X	X	X	X	X	X	X	X	X		
Csk Slot	Brass				X									
	S/Steel	X	X	X	X	X	X	X		X		X		
Cheese Slot	S/Steel	X	X	X	X	X	X	X		X		X		
Pan Phillips	Zinc		X	X	X	X	X							
	S/Steel	X	X		X	X		X						
Csk Phillips	S/Steel	X	X	X	X	X	X	X						

Head Dimensions:

	Width	Height
Pan Head	3.20 - 2.90	1.42 - 1.16
Csk Head:	3.00 - 2.75	0.96
Csk Slot:	3.00 - 2.70	
Cheese Slot:	3.00 - 2.86	1.00 - 0.86

METRIC MACHINE SCREWS														
M2.0 x		3	4	5	6	8	10	12	14	16	18	20	25	30
Pan Pozi	Zinc		X		X		X			X				
	S/Steel	X	X	X	X	X	X	X	X	X	X	X	X	X
Csk Pozi	S/Steel	X	X	X	X	X	X	X	X	X	X	X	X	X
Pan Slot	S/Steel	X	X	X	X	X	X	X		X		X	X	
Csk Slot	S/Steel	X	X	X	X	X	X	X		X		X	X	
Cheese Slot	S/Steel	X	X	X	X	X	X	X	X	X		X	X	
Pan Phillips	Zinc				X	X	X	X		X		X		
	S/Steel	X	X	X	X	X	X	X	X	X		X	X	
Raised Csk Slot	S/Steel			X										
Csk Phillips	Zinc			X	X	X	X	X						
	S/Steel	X	X	X	X	X	X	X		X		X	X	

Head Dimensions:

	Width	Height
Pan Head	4.00 - 3.70	1.72 - 1.46
Csk Head:	3.80 - 3.50	
Pan Slot:	4.00	1.30
Cheese Slot:	3.80 - 3.62	1.30 - 1.16
Raised Csk:	3.80 - 3.50	

METRIC MACHINE SCREWS																	
M2.5 x		3	4	5	6	8	10	12	14	16	18	20	22	25	30		
Pan Pozi	Zinc					X	X	X		X		X		X			
	S/Steel	X	X	X	X	X	X	X	X	X	X	X		X	X		
Csk Pozi	Zinc				X	X	X	X		X		X		X			
	S/Steel	X	X	X	X	X	X	X	X	X		X		X	X		
Pan Slot	Zinc							X						X			
	S/Steel				X					X				X			
Csk Slot	Zinc			X	X	X	X	X		X		X	X				
	S/Steel		X	X	X	X	X	X		X		X		X	X		
Cheese Slot	Zinc			X	X	X	X	X		X		X					
	S/Steel	X	X	X	X	X	X	X	X	X		X		X	X		
Pan Phillips	Zinc	X	X	X	X	X	X	X		X		X		X			
	S/Steel	X	X	X	X	X	X	X		X		X		X	X		
Raised Csk Slot	Zinc																
	S/Steel			X	X	X	X	X		X		X		X	X		
Csk Phillips	Zinc			X	X	X	X	X		X		X		X			
	S/Steel		X	X	X	X	X	X		X		X		X	X		

Head Dimensions:

	Width	Height
Pan Head	5.00 - 4.70	2.12 - 1.88
Csk Head:	4.70 - 4.40	
Pan Slot:	5.00	1.50
Cheese Slot:	4.50 - 4.35	1.60 - 1.46
Raised Csk:	4.70 - 4.40	

METRIC MACHINE SCREWS																		
M3.0 x		3	4	5	6	8	10	12	14	16	18	20	25	30	35	40	45	50
Pan Pozi	Zinc				X	X	X	X		X		X	X			X		
	S/Steel				X	X	X	X	X	X	X	X	X					
Csk Pozi	Zinc			X	X	X	X	X		X		X	X				X	
	S/Steel				X	X	X	X	X	X	X	X						
Pan Slot	Zinc			X	X	X	X	X		X		X	X	X				
	S/Steel		X	X	X	X	X	X		X		X	X	X				
Csk Slot	Zinc																	
	S/Steel			X	X	X	X	X	X	X	X	X	X					
Cheese Slot	Zinc																	
	S/Steel		X	X	X	X	X	X	X	X	X	X	X	X				
Pan Phillips	Zinc		X	X	X	X	X	X		X		X	X	X				
	S/Steel		X	X	X	X	X	X	X	X		X	X	X				
Csk Phillips	Zinc		X	X	X	X	X	X		X		X	X	X	X			
	S/Steel		X	X	X	X	X	X		X		X	X	X	X	X	X	X

Head Dimensions:

	Width	Height
Pan Head	6.00 - 5.30	2.52 - 2.26
Csk Head:	5.60 - 5.20	
Pan Slot:	6.00	1.80
Cheese Slot:	5.50 - 5.32	2.00 - 1.86

METRIC MACHINE SCREWS																		
M3.5 x					6	8	10	12		16		20	25					
Pan Pozi	Zinc																	
	S/Steel					X	X	X		X		X	X					
Csk Pozi	Zinc																	
	S/Steel				X	X												
Pan Slot	Zinc				X	X	X	X		X		X	X					
	S/Steel																	
Csk Slot	Zinc				X		X	X		X		X	X					
	S/Steel																	

Head Dimensions:

	Width	Height
Pan Head	7.00 - 6.64	2.82 - 2.46
Csk Head:	7.30 - 6.14	
Pan Slot:	7.00	2.10

METRIC BRASS MACHINE SCREWS																		
					6	8	10	12		16		20	25					50
Pan Slot	M2.5				X	X	X	X		X		X						
	M3.0				X	X	X	X		X		X	X					X
Csk Slot	M2.5				X													
	M3.0				X	X	X	X		X		X	X					
Cheese Slot	M2.5																	
	M3.0				X	X	X	X										

IMPERIAL MACHINE / SET SCREWS																
00-90 x		1/8	3/16	1/4	5/16	3/8	1/2									
Hexagon	Brass	X		X			X									
Round Slot	Brass			X		X										

Head Dimensions:

	Width	Height
Hex Hd:	2.00	1.08
Rnd Hd:	2.20 - 1.90	0.70

IMPERIAL MACHINE / SET SCREWS																
0-80 x		1/8	5/32	3/16	1/4	5/16	3/8	1/2	9/16	5/8	3/4	1				
Pan Phillips	S/Steel				X	X	X									
Pan Slot	S/Steel			X	X			X				X				
Csk Phillips	S/Steel		X	X	X		X	X								
Csk Slot	Brass				X			X								
	S/Steel			X	X		X	X								
Hexagon	Brass	X			X		X	X			X					
	S/Steel								X							
Fillister Slot	S/Steel								X	X		X				
Round Slot	Brass				X		X	X			X	X				
	S/Steel										X	X				

Head Dimensions:

	Width	Height
Pan Hd:	2.94 2.64	1.12 - 0.91
Pan Slot:	2.94 2.65	0.99 - 0.78
Csk Hd:	2.85 - 2.45	
Hex Hd:	2.30	1.12
Fillister:	2.44 - 2.10	1.40
Rnd Hd:	2.70 - 2.50	1.00

IMPERIAL MACHINE / SET SCREWS																
1-72 X		1/8	3/16	1/4	5/16	3/8	1/2			3/4						
Pan Phillips	S/Steel									X						
	Brass				X											
Csk Slot	S/Steel	X	X			X	X									
	Brass	X		X			X			X						
Hexagon	Brass															
	S/Steel															
Round Slot	Brass					X										
	S/Steel			X												

Head Dimensions:

	Width	Height
Pan Hd:	3.60 - 3.30	1.16 - 0.97
Csk Hd:	3.48 - 3.05	
Hex Hd:	2.70	1.45
Rnd Hd:	3.25	1.30

IMPERIAL MACHINE / SET SCREWS																
2-56 X		1/8	3/16	1/4	5/16	3/8	1/2		5/8	11/16	3/4		1	1-3/16	1-1/4	1-1/2
Pan Phillips	S/Steel	X	X	X	X	X	X		X	X	X		X		X	X
	Zinc		X	X		X	X		X		X		X			
Pan Slot	S/Steel		X	X			X						X			
	Brass															
Csk Phillips	S/Steel	X	X	X	X	X	X		X		X		X			
	Zinc		X	X		X	X									
	B/Oxide		X			X										
Csk Slot	Brass						X									
	S/Steel		X	X		X	X				X					
Hexagon	Brass										X					
	S/Steel					X										
Fillister Slot	Brass															
	S/Steel			X									X			
Round Slot	Brass			X												
	S/Steel										X					

Head Dimensions:

	Width	Height
Pan Hd:	4.24 - 3.94	1.35 - 1.15
Csk Hd:	4.12 - 3.66	
Hex Hd:	3.12	1.14
Fillister:	3.56 - 3.15	1.57 - 1.35
Rnd Hd:	4.11 - 3.70	1.75 - 1.49

IMPERIAL MACHINE / SET SCREWS														
3-48 X				1/4			1/2							
Csk Phillips	S/Steel			X			X							
	Brass			X										
Round Slot	Brass			X										
	S/Steel			X										

Head Dimensions:

	Width	Height
Csk Hd:	4.75 - 4.24	
Rnd Hd:	4.75 - 4.29	1.98 - 1.70

IMPERIAL MACHINE / SET SCREWS														
4-40 X		1/8	3/16	1/4	5/16	3/8	1/2		5/8	3/4	7/8	1		1-1/2
Pan Phillips	S/Steel	X	X	X	X	X			X	X		X		X
	Zinc			X		X	X					X		
	B/Oxide					X								
Pan Slot	S/Steel			X										
Csk Phillips	S/Steel		X	X		X	X		X	X		X		X
	Zinc			X			X			X				
	B/Oxide			X		X	X							
Csk Slot	S/Steel			X						X				
Hexagon	S/Steel			X		X	X					X		

Head Dimensions:

	Width	Height
Pan Hd:	5.56 - 5.20	2.03 - 1.77
Pan Slot:	5.56 - 5.21	1.72 - 1.47
Csk Hd:	5.38 - 4.85	
Hex Hd:	4.77 - 4.59	1.52 - 1.24

IMPERIAL MACHINE / SET SCREWS															
5-40 X				1/4			1/2			3/4					
Csk Slot	S/Steel			X											
	Hexagon						X								
Fillister Slot	S/Steel			X											
	Zinc									X					

Head Dimensions:

	Width	Height
Csk Hd:	5.38 - 4.85	
Hex Hd:	4.77 - 4.59	1.52 - 1.24
Hex Hd:	4.77 - 4.60	1.52 - 1.25

IMPERIAL MACHINE / SET SCREWS															
6-32 X		1/8	3/16	1/4	5/16	3/8	1/2		5/8	3/4	7/8	1	1-1/8	1-1/4	2
Pan Phillips	S/Steel	X	X	X	X	X	X		X	X		X	X	X	X
	Zinc		X	X		X	X		X		X	X	X		
	B/Oxide					X									
Pan Slot	Brass														
	S/Steel						X				X		X		
	Zinc														
Csk Phillips	Brass														
	S/Steel			X	X	X	X		X	X		X		X	
	Zinc			X			X		X		X		X		
Hexagon	B/Oxide				X	X	X								
	S/Steel						X								
Fillister Slot															
	Zinc													X	

Head Dimensions:

	Width	Height
Pan Hd:	6.85 - 6.50	2.46 - 2.20
Pan Slot:	6.85 - 6.50	2.08 - 1.82
Csk Hd:	6.65 - 6.04	
Hex Hd:	6.35 - 6.19	2.36 - 2.03
Fillister:	5.74 - 5.28	2.43 - 2.18

IMPERIAL MACHINE / SET SCREWS																
8-32 X				1/4	5/16	3/8	1/2		5/8	3/4		1	1-1/4	1-1/2		2
Pan Phillips	S/Steel			X	X	X	X		X	X		X	X			X
	Zinc			X		X	X			X		X		X		
Csk Phillips	Brass															
	S/Steel				X	X	X		X	X		X	X	X		
	Zinc			X			X			X		X		X		
	B/Oxide					X										
Hexagon	S/Steel						X									

Head Dimensions:

	Width	Height
Pan Hd:	8.17 - 7.77	2.92 - 2.66
Csk Hd:	7.92 - 7.23	
Hex Hd:	6.35 - 6.19	2.79 - 2.43

IMPERIAL MACHINE / SET SCREWS																
10-32 X				1/4		3/8	1/2		5/8	3/4		1	1-1/4	1-1/2		
Pan Phillips	S/Steel			X		X	X		X	X		X	X	X		
	Zinc					X								X		
Csk Phillips	S/Steel					X	X									

Head Dimensions:

	Width	Height
Pan Hd:	9.47 - 9.06	3.37 - 3.09
Csk Hd:	9.19 - 8.45	

UNF SOCKET SCREWS																
0-80 X		1/16	3/32	1/8	5/32	3/16	1/4	5/16	3/8	1/2	5/8	3/4		1		
Socket Cap	Plain			X		X	X	X	X	X	X					
	S/Steel			X	X	X	X	X	X	X	X	X		X		
Button Head	Plain			X			X		X	X				X		
	S/Steel			X		X	X		X							
Flat Head	Plain			X		X	X		X							
	S/Steel			X		X	X	X	X							
Grub Screw	Plain	X	X	X	X	X	X	X	X	X						
	S/Steel	X	X	X		X	X	X								

Head Dimensions:

	Width	Height
Socket Hd:	2.43	1.52
Button Hd:	2.89	0.81
Flat/Csk Hd:	3.50	

UNC SOCKET SCREWS																
1-64 X		1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4		1					
Socket Cap	Plain	X	X	X	X	X	X	X	X		X					
	S/Steel															
Flat Head	Plain	X		X		X	X				X					
	S/Steel															
Grub Screw	Plain	X	X	X												
	S/Steel															

UNF																
1-72 X		1/16	3/32	1/8	5/32	3/16	1/4	5/16	3/8	1/2	5/8	3/4		1		
Socket Cap	Plain			X		X	X		X	X		X				
	S/Steel			X		X	X	X	X	X						
Button Head	Plain			X		X	X	X	X	X	X	X		X		
	S/Steel								X							
Flat Head	Plain			X		X	X	X	X	X	X	X		X		
	S/Steel						X									
Grub Screw	Plain	X	X	X	X	X	X	X	X	X						
	S/Steel	X	X	X		X	X									

Head Dimensions:

	Width	Height
Socket Hd:	2.99	1.85
Button Hd:	3.53	0.99
Flat/Csk Hd:	4.26	

UNC SOCKET SCREWS																
2-56 X		1/16	3/32	1/8	5/32	3/16	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1		
Socket Cap	Plain			X		X	X	X	X	X	X	X	X	X		
	S/Steel					X	X		X	X	X	X		X		
Button Head	Plain					X	X		X	X		X		X		
	S/Steel			X			X		X	X	X	X		X		
Flat Head	Plain			X		X	X	X	X	X	X	X				
	S/Steel						X	X	X	X	X	X		X		
Grub Screw	Plain	X	X	X	X	X	X	X	X	X						
	S/Steel	X	X	X		X	X		X	X						

UNF																
2-64 X				1/8	5/32	3/16	1/4		3/8	1/2	5/8	3/4		1		
Socket Cap	Plain			X		X	X				X	X		X		
	S/Steel															
Grub Screw	Plain						X									
	S/Steel															

Head Dimensions:

	Width	Height
Socket Hd:	3.55	2.18
Button Hd:	4.16	1.16
Flat/Csk Hd:	5.00	

UNC SOCKET SCREWS																
3-48 X		1/16	3/32	1/8	5/32	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	
Socket Cap	Plain			X		X	X	X	X		X	X	X	X	X	
	S/Steel					X	X	X	X		X					
Button Head	Plain					X	X	X	X	X	X	X	X		X	
	S/Steel						X				X					
Flat Head	Plain					X	X	X	X		X	X	X	X	X	
	S/Steel															
Grub Screw	Plain	X	X	X	X	X	X	X	X		X	X				
	S/Steel	X	X	X		X										

UNF																
3-56 X							1/4	5/16	3/8			5/8				
Socket Cap	Plain						X	X	X			X				
	S/Steel															
Grub Screw	Plain						X									
	S/Steel															

Head Dimensions:

	Width	Height
Socket Hd:	4.08	2.51
Button Hd:	4.77	1.32
Flat/Csk Hd:	5.74	

UNC SOCKET SCREWS																		
4-40 X			1/8		3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1-1/8	1-1/4	1-1/2	2
Socket Cap	Plain		X		X	X	X	X		X	X	X		X	X		X	X
	S/Steel				X	X	X	X		X	X	X		X		X	X	
Button Head	Plain		X		X	X	X	X		X	X	X	X	X				
	S/Steel				X	X		X		X	X	X		X				
Flat Head	Plain				X	X	X	X	X	X	X	X	X	X		X		
	S/Steel				X	X	X	X		X	X	X		X				
Grub Screw	Plain		X		X	X	X	X	X	X	X	X	X	X				
	S/Steel		X		X	X	X	X		X								

UNF																			
4-48 X		1/16	3/32	1/8	5/32	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1-1/4	1-1/2	2	2-1/2
Socket Cap	Plain						X		X				X						
	S/Steel																		
Flat Head	Plain						X		X				X						
	S/Steel																		
Grub Screw	Plain		X	X		X	X	X	X	X	X	X							
	S/Steel																		

Head Dimensions:

	Width	Height
Socket Hd:	4.64	2.84
Button Hd:	5.41	1.49
Flat/Csk Hd:	6.47	

UNC SOCKET SCREWS																		
5-40 X			1/8			1/4	5/16	3/8		1/2	5/8	3/4		1	1-1/4			
Socket Cap	Plain					X	X	X		X	X	X		X	X			
	S/Steel							X				X						
Flat Head	Plain									X	X	X						
	S/Steel																	
Grub Screw	Plain		X															
	S/Steel		X					X										

UNF																		
5-44 X				1/4		3/8	1/2	5/8	3/4	7/8	1							
Socket Cap	Plain			X		X	X	X	X	X	X							
	S/Steel																	
Flat Head	Plain										X							
	S/Steel																	
Grub Screw	Plain			X														
	S/Steel																	

Head Dimensions:

	Width	Height
Socket Hd:	5.20	3.17
Button Hd:	6.04	1.67
Flat/Csk Hd:	7.13	

UNC SOCKET SCREWS															
6-32 X		3/16	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1	1-1/4	1-1/2			2-1/2
Socket Cap	Plain			X	X	X	X	X	X	X	X	X			
	S/Steel	X	X	X	X	X	X	X		X	X	X			X
Button Head	Plain		X	X	X	X	X	X		X	X				
	S/Steel		X		X	X									
Flat Head	Plain		X	X	X	X	X	X	X	X	X	X			
	S/Steel	X	X	X	X	X									
Grub Screw	Plain				X		X								
	S/Steel	X	X												

UNF															
6-40 X		1/8	3/16	1/4	5/16	3/8	1/2		3/4		1				
Socket Cap	Plain					X									
	S/Steel										X				
Button Head	Plain			X			X								
	S/Steel														
Flat Head	Plain			X											
	S/Steel														
Grub Screw	Plain	X	X	X	X	X			X						
	S/Steel														

Head Dimensions:

	Width	Height
Socket Hd:	5.74	3.50
Button Hd:	6.65	1.85
Flat/Csk Hd:	7.79	

UNC SOCKET SCREWS															
8-32 X		1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1	1-1/4	1-1/2	1-3/4	2
Socket Cap	Plain					X	X	X	X		X	X	X		
	S/Steel			X		X	X	X	X		X				
Button Head	Plain				X							X			
	S/Steel			X		X	X	X	X		X	X	X		
Flat Head	Plain					X									
	S/Steel										X				
Grub Screw	Plain	X	X	X											
	S/Steel			X											

UNF															
8-36 X		1/8	3/16				1/2								
Flat Head	Plain						X								
	S/Steel														
Grub Screw	Plain	X	X												
	S/Steel														

Head Dimensions:

	Width	Height
Socket Hd:	6.85	4.16
Button Hd:	7.92	2.20
Flat/Csk Hd:	9.11	

UNC SOCKET SCREWS

10-24 x		1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1	1-1/4			2		2-1/2		
Socket Cap	Plain		X	X	X	X	X	X	X		X	X			X		X		
	S/Steel			X		X	X	X	X		X								
Button Head	Plain			X	X	X	X	X	X	X	X	X							
	S/Steel			X		X	X	X	X		X	X							
Flat Head	Plain			X	X	X	X	X	X	X	X	X							
	S/Steel			X	X	X	X	X	X	X	X	X							
Grub Screw	Plain	X	X	X	X	X	X	X	X	X	X	X							
	S/Steel		X	X	X	X	X	X	X		X								

UNF

10-32 x		1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1	1-1/4				2-1/4	2-1/2		
Socket Cap	Plain		X	X	X	X	X	X	X	X	X	X				X	X		
	S/Steel			X	X	X	X	X	X	X	X	X							
Button Head	Plain			X	X	X	X	X	X	X	X	X							
	S/Steel			X	X	X	X	X	X	X	X								
Flat Head	Plain			X	X	X	X	X	X	X	X								
	S/Steel			X		X	X	X	X		X								
Grub Screw	Plain	X	X	X	X	X	X	X	X	X	X								
	S/Steel	X	X	X	X	X	X	X	X		X								

Head Dimensions:	Width	Height
Socket Hd:	7.92	5.48
Button Hd:	9.16	2.56
Flat/Csk Hd:	10.43	

HEX ALLEN KEYS

	SOCKET	BUTTON	FLAT/CSK	GRUB SCREW
0-80	0.050"	0.035"	0.035"	0.028"
1-64/72	1/16	0.050"	0.050"	0.028"
2-56/64	5/64	0.050"	0.050"	0.035"
3-48/56	5/64	1/16	1/16	0.050"
4-40/48	3/32	1/16	1/16	0.050"
5-40/44	3/32	5/64	5/64	1/16
6-32/40	7/64	5/64	5/864	1/8
8-32/36	9/64	3/32	3/32	5/64
10-24/32	5/32	1/8	1/8	3/32

SELF TAPPING SCREWS																	
#0 Guage X		1/8	3/16	1/4		3/8	1/2										
Pan Phillips	Zinc			X		X	X										
	S/Steel	X	X														
	B/Oxide			X													
Pan Slot	S/Steel		X			X											
Csk Phillips																	
	B/Oxide		X	X													
Button Socket	Zinc		X														
	B/Oxide		X														
Round Slot Wood																	
	Brass			X		X											
Csk Slot Wood																	
	Brass			X		X											

SELF TAPPING SCREWS																	
#1 Guage X		1/8	3/16	1/4		3/8	1/2										
Pan Phillips	Zinc		X*	X		X											
	B/Oxide			X													
Pan Slot	Zinc	X				X											
Csk Phillips	Zinc			X													
	B/Oxide		X	X													
Round Slot Wood																	
	Brass			X		X											
Csk Slot Wood																	
	Brass					X	X										

* Available in Type B (blunt end)

SELF TAPPING SCREWS													
#2 Guage X		3/16	1/4	5/16	3/8	1/2	5/8	3/4	1				
Pan Phillips	Zinc	X*	X		X	X		X	X				
	S/Steel	X	X	X	X	X	X	X	X				
	B/Oxide		X	X	X								
Pan Slot	S/Steel				X	X							
Csk Phillips	Zinc			X		X		X					
	S/Steel		X		X	X		X	X				
	B/Oxide			X									
Socket Cap	Zinc				X	X	X						
	S/Steel					X							
Button Socket	Zinc	X			X	X							
	B/Oxide	X			X								
Round Wood Brass	PHILLIPS		X			X							
	SLOT				X	X							
Csk Wood BRASS	PHILLIPS				X								
	SLOT		X		X	X							
Mush Phillips	Zinc				X	X							

* Available in Type B (blunt end)

SELF TAPPING SCREWS													
#3 Guage X			1/4	3/8	1/2	3/4							
Pan Phillips	Zinc		X	X	X	X							
	S/Steel		X										
Csk Phillips	Zinc			X	X	X							
Csk Slot Wood	Brass			X	X								

SERVO HOLD DOWN SOCKET													
		5/16	7/16	9/16	5/8								
#2	Zinc	X	X	X									
#3	Zinc		X		X								

METRIC WASHERS									
	FLAT			SPRING			LOCKING		
	ZP	S/S	BRASS	ZP	S/S		ZP	S/S	
M1.0		X							
M1.2		X							
M1.4		X							
M1.6	X	X			X				
M2.0	X	X		X	X		X	X	
M2.5	X	X	X	X	X		X	X	
M3.0	X	X	X	X	X		X	X	
M3.5	X	X		X	X				

IMPERIAL WASHERS									
	FLAT			SPRING			LOCKING		
	ZP	S/S	BRASS	ZP	S/S		ZP		
#00			X						
#0		X	X		X				
#1		X	X						
#2	X	X	X	X	X		X		
#3	X		X	X					
#4	X	X	X	X	X		X		
#5	X			X	X				
#6	X	X	X	X	X		X		
#8	X	X		X	X		X		
#10	X	X		X	X		X		

Mudguard Washers available in limited sizes

METRIC HEX NUTS									
	M1.0	M1.2	M1.4	M1.6	M2.0	M2.5	M3.0	M3.5	
Zinc				X	X	X	X	X	
S/Steel	X	X	X	X	X	X	X	X	
Brass	X					X	X		

METRIC NYLOCK NUTS									
					M2.0	M2.5	M3.0		
Zinc					X	X	X		
S/Steel					X	X	X		

IMPERIAL HEX NUTS														
		00-90	0-80	1-64	1-72	2-56	3-48	4-40	5-40	6-32	8-32	8-36	10-24	10-32
Standard Hex	Zinc		X		X	X	X	X	X	X	X		X	X
	S/Steel		X	X	X	X	X	X	X	X	X	X	X	X
	Brass	X	X		X	X	X	X						

IMPERIAL NYLOCK NUTS														
						2-56	3-48	4-40	5-40	6-32	8-32		10-24	10-32
Nylon Insert	Zinc					X	X	X	X	X	X		X	X
	S/Steel					X	X	X	X	X	X		X	X

PRONGED T NUTS														
		M3.0	M4.0	M5.0										
METRIC - Blind T Nuts	Zinc	X	X	X										
IMPERIAL - Blind T Nuts	Zinc	2-56	4-40	6-32	8-32	10-24	10-32							
		X	X	X	X	X	X							

BRASS THREADED INSERT														
		1.6mm	2mm	3mm	4mm	5mm								
METRIC - Threaded Insert		X	X	X	X	X								
IMPERIAL - Threaded Inserts		4-40												
		X												

RIVETS	
Dome Head Blind	Semi Tubular
3/32" diam x 3/16"	1/16 diam
.020 to .150 grip	1/4" long